



- Notes
1. Tactile paving layout and colour is dependent upon site location and must be in accordance with relevant Standard Details.
 2. Requirements for c'way tie-in will vary with locations.
 3. Joint of new surfacing with existing carriageway must not coincide with wheel track.
 4. Drainage provision may be reduced with the approval of the Area Highways Manager and a "Relaxation of Standards" approval (See HAT34).
 5. Tactile paving shall be concrete 'Dimple blocks (unless otherwise stated) 200mm x 133mm x 60mm laid on 30mm sand, 100mm AC20 dense binder and 150mm type 1 sub-base.
 6. Area of tactile block must be surrounded by 150mm x 150mm footway edging (See SD/11/4).

Rev: AMENDMENT DETAILS Date: Description: Approved by:



Checked by: GP Approved by: SB

ISSUED 12/05/17

Drainage detail at Pedestrian Crossing Point

This is a typical detail and may require conversion to a full scheme specific drawing.

NOT TO SCALE
(all units in millimetres)

Disclaimer : Before making use of this detail, any designer or third party must ensure that it satisfies all requirements of the scheme to which it is being applied. Lincolnshire County Council accept no responsibility for third party use of this Standard Detail.

SD/11/31
Standard Detail Number

Revision Number

Revision